# Atomic Theory

# Pemocritus

- \* With Leucippus, they though that matter can not be divided infinitely.
- \* Proposed the existence of indestructible, indivisible particles called atoms.

# John Palton

- \* British chemist, physicist, meteorologist
- \* Proposed the first "modern" atomic theory in 1803
- \* Palton's atomic model: Billiard Ball Model


# 5 Points of Dalton's Atomic Theory:

- \* All matter is made of tiny indivisible particles called atoms.
- \* Atoms cannot be created or destroyed.
- \* All atoms of a particular element are identical.
- \* Compounds are formed through the combination of elements.
- \* Chemical reactions involve atoms recombining to form new substances.

# J.J. Thomson


- \* Identified charged particles that were much smaller than the tiniest atom and came from within the atoms of a metal electrode
- \* These "subatomic" particles were called electrons and led to the Plum Pudding Model


### Thomson's Plum Pudding Atom




# Rutherford

- \* Rutherford proposed that a beam of alpha particles should have enough energy to pass through a thin gold foil
- \* The experiment initially seemed work







## Rutherford's Conclusions

- \* The positive charge is in a very dense positive core.
- \* Most of the atom is simply empty space
  - \* Rutherford proposed a new model called the Planetary Model due to its resemblance to our solar system.

# Bohr's Shell Model


- \* 1. Electrons can only occupy certain discrete orbits or energy levels.
- \* 2. Electrons can exist in an energy level without losing energy.
- \* 3. Electrons absorb or release energy only when they change their energy levels.

### The Bohr Model and Electron Arrangement

- \* Bohr's orbits (energy levels) can only hold a certain number of electrons (2, 8, 8...)
- \* When an inner orbit is filled, electrons occupy orbits further from the nucleus
- \* Bohr's shell model finally explained the structure of the Periodic Table, which had been published in 1869!

# Quantum Theory: Schrodinger

- \* Showed electrons don't orbit in fixed orbits but rather in clouds.
- \* Electron "cloud" around nucleus.
- \* Exact location of electron is not known.
- \* Theory is known as 'Electron Cloud Model.'



# James Chadwick

- \* In 1932, Chadwick experimented with a new type of radiation emitted from beryllium
- \* The particle had no charge but almost the same mass as the proton; he called these particles neutrons

# Overview

Democritus	Indestructible particles called atoms
Palton	Billiard Ball Model
Thompson	Plum Pudding Model
Rutherford	Planetary Model, introduced proton
Bohr	Electrons orbit
Schrodinger	Cloud model
Chadwick	Neutrons